## **Product data sheet**

Specifications



Wall mounted steel enclosure, Spacial S3D, plain door, without mounting plate, 600x500x250mm, IP66, IK10

NSYS3D6525

viair
-------

Range	Spacial
Product name	Spacial S3D
Application	Multi-purpose
Category	Compact enclosure
Enclosure nominal height	600 mm
Enclosure nominal width	500 mm
Enclosure nominal depth	250 mm
Door type	Plain
Mounting plate description	Without mounting plate
Type of gland plate	Standard
Installation accessory type	Wall-mounting
Device composition	1 body 1 door 1 lock 1 cable gland plate

## Complementary

Complementary	
Body type	Gutter-shaped front rail double sheet thickness Single piece body
Number of doors	Front face: 1 door(s)
Door opening side	Reversible (120 °)
Lock type	3 points lock, 3 mm double-bar
Accessibility for operation	Front
Removable parts	Door by hinges Cable gland plate by screws
Material	Steel
Surface finish	Epoxy-polyester powder
Colour	Grey (RAL 7035)
Standards	IEC 62208
Product certifications	BV DNV cUL LR UL GL

Net weight	13.466 kg
Environment	
NEMA degree of protection	NEMA 4X/13
IK degree of protection	IK10 conforming to IEC 62262
IP degree of protection	IP66 conforming to IEC 60529
Packing Units	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	13.466 kg
Package 1 Height	29.5 cm
Package 1 width	51.5 cm
Package 1 Length	61.5 cm
Unit Type of Package 2	P12
Number of Units in Package 2	18
Package 2 Weight	253.0 kg
Package 2 Height	199.0 cm
Package 2 width	80.0 cm
Package 2 Length	120.0 cm
Offer Sustainability	
Offer Sustainability Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile

18 months

**Contractual warranty** 

Warranty